UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/523,065	09/08/2005	Mark Beckmann	071308.0973 (2002P11739WO	7574		
86528 King & Spaldin	7590 02/18/201 g LLP	EXAMINER				
401 Congress A		ZEWARI, SAYED T				
Suite 3200 Austin, TX 787	01		ART UNIT	PAPER NUMBER		
			2617			
			MAIL DATE	DELIVERY MODE		
			02/18/2010	PAPER		

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Communication		Application	pplication No. Applicant(s)						
		10/523,065		BECKMANN ET AL.					
Office Action Summary			Examiner		Art Unit				
			SAYED T. Z	ZEWARI	2617				
- Period fo	- The MAILING DATE of this commun Reply	nication appe	ears on the o	cover sheet with the c	orrespondence ad	ddress			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).									
Status									
1)[🔀]	Responsive to communication(s) file	ed on <i>11 .lar</i>	nuary 2010						
•	•	2b)⊠ This a							
′ <b>—</b>		<i>'</i> —			secution as to the	e merits is			
· —	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
	on of Claims		•	•					
· · _		annlication							
-	Claim(s) <u>14-31</u> is/are pending in the application.								
	4a) Of the above claim(s) is/are withdrawn from consideration.								
•	5) Claim(s) is/are allowed.								
	S) Claim(s) 14-31 is/are rejected.								
-	Claim(s) is/are objected to.	-4:1/	-1						
8)[_]	Claim(s) are subject to restric	ction and/or	election red	quirement.					
Application	on Papers								
9)□ 1	he specification is objected to by th	ne Examiner.							
10)□ 7	he drawing(s) filed on is/are	: a) <u></u> acce	pted or b)□	objected to by the I	Examiner.				
	Applicant may not request that any obje	ection to the d	rawing(s) be	held in abeyance. See	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).									
11) 🔲 🛭	11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority u	nder 35 U.S.C. § 119								
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some coll None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>									
2) Notice 3) Inform	(s) of References Cited (PTO-892) of Draftsperson's Patent Drawing Review (Fation Disclosure Statement(s) (PTO/SB/08) No(s)/Mail Date	PTO-948)		Interview Summary Paper No(s)/Mail Da  Notice of Informal P  Other:	ate				

Art Unit: 2617

#### **DETAILED ACTION**

## Response to Arguments

1. Applicant's arguments filed on 1/11/2010 have been fully considered but they are not persuasive.

Lim discloses a method of transmitting user data which announces the form of incoming user data message.

Sarkkinen discloses a method wherein the transmission of one planning message is completed and then user data is transmitted.

Both Lim and Sarkkinen disclose transmission of announcement message before actual transmission of data.

The newly added limitations to claims 14, 28, and 29 are disclosed by both Lim and Sarkkinen. Both Lim and Sarkkinen disclose a method of avoiding the waste of radio, processing, and power resources by back and forth signaling. So they put the burden on the mobile subscriber to decide if the mobile subscriber can handle the incoming content. If a subscriber can handle the incoming content, they will process it otherwise they do not waste power and radio resources processing that content. This inherently means that a mobile subscriber makes a decision regarding its technical capability by using the planning message. So this limitation is inherently met by both Lim and Sarkkinen.

10/523,065 Art Unit: 2617

## Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claim 14, 15, 19-21, 23, 25, 28, and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lim (US 2002/0,057,663) in view of Sarkkinen et al. (US 6684081).

With respect to claim 14, Lim discloses a method for transmitting user data messages from a network element of a radio communication system over at least one transmission channel to at least one subscriber device of the radio communication system (See Lim's abstract figure 3, section [0034]-[0037]), the method comprising transmitting at least one planning message (See Lim's section [0019], [0020], [0021], [0022]), announces the form of the user data message wherein the form of the user data message announced by the at least one planning message is inherently being used by teach subscriber device to determine whether or not that subscriber device is technically capable of processing he user data messages, and to select whether or not to receive the user data messages based on such determination. Lim discloses everything claimed as applied above to claim 14, except for explicitly reciting that data is to be transmitted subsequently to and separately from the at least one planning message, such that the transmission of the at least one planning message is completed

10/523,065 Art Unit: 2617

before beginning the transmission of the user data messages; and wherein the form of the user data messages announced by the at least one planning message includes at least one of a type of content of the user data messages and a coding of the user data message. In analogous art, Sarkkinen et al discloses a communication system wherein both planning message and data are transmitted separately in similar way as recited above (See Sarkkinen's col.2 lines 49-54, lines 1-46, col.3 lines 32-51, col.4 lines 33-39, 49-53, 60-67, col.5 lines 1-14). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the invention of Lim by specifically sending announcement message separately from the data message for the purpose of conserving processing capacity and power, as disclosed by Sarkkinen.

With respect to claim 28, Lim discloses a subscriber device of a radio communication system, in which user data messages are transmitted over at least one transmission channel to the subscriber device (See Lim's abstract figure 3, section [0034]-[0037]), comprising parts for receiving only the user data messages which, with regard to an announced form, it is able to process, wherein the form of the user data message is announced by transmission of at least one planning message (See Lim's section [0019], [0020], [0021], [0022) wherein the form of the user data message announced by the at least one planning message is inherently being used by teach subscriber device to determine whether or not that subscriber device is technically capable of processing he user data messages, and to select whether or not to receive the user data messages based on such determination.

10/523,065

Art Unit: 2617

Lim discloses everything claimed as applied above to claim 28, except for explicitly reciting that data is to be transmitted subsequently to and separately from the at least one planning message, such that the transmission of the at least one planning message is completed before beginning the transmission of the user data messages; and wherein the form of the user data messages announced by the at least one planning message includes at least one of a type of content of the user data messages and a coding of the user data message. In analogous art, Sarkkinen et al discloses a communication system wherein both planning message and data are transmitted separately in similar way as recited above (See Sarkkinen's col.2 lines 49-54, lines 1-46, col.3 lines 32-51, col.4 lines 33-39, 49-53, 60-67, col.5 lines 1-14). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the invention of Lim by specifically sending announcement message separately from the data message for the purpose of conserving processing capacity and power, as disclosed by Sarkkinen.

With respect to claim 29, Lim discloses a radio communication system (See Lim's abstract figure 3, section [0034]-[0037]), comprising: At least one subscriber device (See Lim's abstract figure 3, section [0034]-[0037]); and A network element for transmitting user data message over at least one transmission channel to the at least one subscriber device (See Lim's abstract figure 3, section [0034]-[0037]), wherein a form of the user data messages is announced by transmission of at least one planning message (See Lim's section [0019], [0020], [0021], [0022]) wherein the form of the user data message announced by the at least one planning message is inherently

10/523,065

Art Unit: 2617

being used by teach subscriber device to determine whether or not that subscriber device is technically capable of processing he user data messages, and to select whether or not to receive the user data messages based on such determination. Lim discloses everything claimed as applied above to claim 29, except for explicitly reciting that data is to be transmitted subsequently to and separately from the at least one planning message, such that the transmission of the at least one planning message is completed before beginning the transmission of the user data messages; and wherein the form of the user data messages announced by the at least one planning message includes at least one of a type of content of the user data messages and a coding of the user data message. In analogous art, Sarkkinen et al discloses a communication system wherein both planning message and data are transmitted separately in similar way as recited above (See Sarkkinen's col.2 lines 49-54, lines 1-46, col.3 lines 32-**51, col.4 lines 33-39, 49-53, 60-67, col.5 lines 1-14).** It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the invention of Lim by specifically sending announcement message separately from the data message for the purpose of conserving processing capacity and power, as disclosed by Sarkkinen.

With respect to claim 15, Lim discloses a method for transmitting a user data messages wherein the at least one planning message includes a first planning message by which the transmission of the user data messages is announced via a first separate transmission channel (See Lim's section [0010], furthermore the use a first channel for channel setup is in common usage), and a second planning message by which

description information specifying the form of the user data messages to be transmitted is transmitted vial at least one second separate transmission channel (See Lim's section [0010], furthermore the use a second channel for transmission is in common usage).

With respect to claim 19, Lim discloses a method for transmitting a user data messages wherein the method is carried out in a framework of a broadcast service (See Lim's section [0017]- [0019]).

With respect to claim 20, Lim discloses a method for transmitting a user data messages wherein the broadcast service is an extension of a Cell Broadcast Service (See Lim's section [0017]- [0019]).

With respect to claim 21, Lim discloses a method for transmitting a user data messages wherein the broadcast service is a multicast service (See Lim's section [0017]- [0019]).

With respect to claim 23, Lim discloses a method for transmitting a user data messages wherein the first planning message contains information about when and on which second separate transmission channel of which there is at leas one, at least one of second planning messages and user data messages are transmitted (See Lim's section [0010], furthermore the use a first channel for channel setup is in common usage).

With respect to claim 25, Lim discloses a method for transmitting a user data messages wherein the subscriber device is a mobile radio device (See Lim's section [0016], [0017], [0019], and [0026]).

10/523,065 Art Unit: 2617

1. Claim 16-18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lim (US 2002/0,057,663) in view of Holden (US 6,771,639).

With respect to claim 16, Lim discloses a method and system for transmitting a user data messages. However Lim does not specifically disclose that these data types includes one of a text format, an image format, an audio format and a video format (See Holden's col.4 lines 17-32, 41-42, col.5 lines 6-34). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the invention of Lim and combine it with that of Holden, thereby providing a system that announces the above mentioned information types, as disclosed by Holden (See Holden's col.4 lines 17-32, 41-42, col.5 lines 6-34).

With respect to claim 17, Lim discloses a method for transmitting a user data messages. However, Lim does not specifically discloses that the data type includes one of an MP3 format, an AMR format, a WAV format, a JPEG format and an MPEG 4 format (See Holden's col.7 lines 11-24, col.9 lines 36-42, see additional information: col.6 lines 5-31). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the invention of Lim and combine it with that of Holden, thereby providing a system that announces the above mentioned information types, as disclosed by Holden (See Holden's col.7 lines 11-24, col.9 lines 36-42, see additional information: col.6 lines 5-31).

Art Unit: 2617

With respect to claim 18, Lim discloses a method for transmitting a user data messages. However, Lim does not specifically discloses a method wherein the description information further includes parameters referring to one of data volume, image dimensions for at least one of image data and video data, and a playback duration for at least one of audio data and video data. But Holden discloses these limitations (See Holden's col.7 lines 11-24, col.9 lines 36-42, see additional information: col.6 lines 5-31). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the invention of Lim and combine it with that of Holden, thereby providing a system that announces the above mentioned information, as disclosed by Holden (See Holden's col.2 lines 15-41).

With respect to claims 31, the above combination of references applied, disclose all the limitations of the claim 31.

2. Claims 22, 24, 26, and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lim (US 2002/0,057,663) in view of well-known prior art (MPEP 2144.03).

With respect to claim 22, Lim discloses a method for transmitting a user data messages. Lim does not specifically disclose the method is operated in accordance with a UMTS Standard. However, an official notice is taken that the concept and use of transmitting a user data messages are well known and expected in the art. Therefore, it

Application/Control Number:

10/523,065

Art Unit: 2617

would be obvious to one of ordinary skill in the art to implement the method disclosed by Lim in a UMTS system.

With respect to claim 24, Lim discloses a method for transmitting a user data messages. Lim does not specifically disclose the subscriber device receives only data which the at least one subscriber device is designed to process. However, an official notice is taken that the concept and use of transmitting a user data messages to subscriber devices capable of processing that data are well known and expected in the art. Therefore, it would be obvious to one of ordinary skill in the art to transmit only data messages that a subscriber device is capable of processing.

With respect to claim 26, Lim discloses a method for transmitting a user data messages. Lim does not specifically disclose a mobile phone. However, an official notice is taken that the concept and use of transmitting a user data messages using a mobile phone are well known and expected in the art. Therefore, it would be obvious to one of ordinary skill in the art to implement the method disclosed by Lim in a mobile phone.

With respect to claim 27, Lim discloses a method for transmitting a user data messages. Lime does not specifically disclose the subscriber device receives only the user data messages it is able to process. However, an official notice is taken that the concept and use of transmitting a user data messages to subscriber devices capable of processing that data are well known and expected in the art. Therefore, it would be obvious to one of ordinary skill in the art to transmit only data messages that a subscriber device is capable of processing.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SAYED T. ZEWARI whose telephone number is (571)272-6851. The examiner can normally be reached on 8:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lester G. Kincaid can be reached on 571-272-7922. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Sayed T Zewari/ Examiner, Art Unit 2617

/LESTER KINCAID/ Supervisory Patent Examiner, Art Unit 2617